26186 8/081/61/000/012/011/028 B:110/B216

188300

AUTHORS: Negreyev, V. F., Kesumzade, N. G., Mamedov, I. A., Kuliyev, R.

Sh., Antonova, K. I.

TITLE: Corrosion of special steels in naphthenic acids

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 12, 1961, 324, abstract 12/180 (12/180)("Azerb. neft. kh-vo", 1960, No 11, 43 - 45

TEXT: A study of the corrosion rates of 15 different brands of stainless steels in naphthenic acids at 200 - 275°C showed that Cr steels have a high corrosion rate, Cr-Ni steels a low corrosion rate attaining high values at 275°C, and that Cr-Ni-Si steel (Si: 3-6 %) has an exceptionally high stability. This is explained by the properties of the protective films formed in presence of Si. [Abstracter's note: Complete translation.]

Card 1/1

NASIROV, Z.I.; KASUMZADE, N.G., red.; AKHMEDOV, S., tekhn. red.

[Highly efficient technological processes in foundry practice] Vysokoproizvoditel nye tekhnologicheskie protsessy v chuguno-liteinom proizvodstve. Baku, Azerneshr, 1962. 197 p.

(MIRA 15:6)

(Founding)

KASUMZADE, N.G.; TRR. SAAKOV, B.U.; MAMEDOV, N.A.; ARAKELOV, A.S.; SPEKTOR, Sh.Sh.; NEGREYEV, V.F., red.; ZEYNALOVA, T.Z., red., izd-va; AKHMEDOV, S., tekhn. red.

[Protection of apparatus and equipment of petroleum refineries from corrosion]Zashchita apparatury i oborudovaniia neftepererabatyvaiushchikh zavodov ot korrozii. [By] N.G. Kasumzade i dr. baku, Azerneshr. 1962. 282 p. (MIRA15:9) (Petroleum refineries Equipment and supplies) (Corrosion and anticorrosives)

KASUM-ZADE, N.G., kand. tekhn.nauk; MAMEDOV, I.A., red.; SHTEYNGEL', A.S., red. izd-va; AKHMEDOV, S., tekhn. red.

[Corrosion-resistant steels for the petrochemical industry] Korrozionnostoikie stali dlia promyshlennosti neftekhimicheskogo sinteza. Baku, Azerbaidzhanskos gos.izd-vo, 1962. 207 p. (MIRA 16:3)

(Steel, Stainless) (Petroleum chemicals)

KASUMZADE, N.G., prof.; MUSTAFAYEV, A.D., red.

[Liquid metal drop forging of parts] Shtampovka detalei iz zhidkogo metalla. Baku, Azerneshr, 1964. 82 p. (MIRA 17:5)

4134 KASUM-ZADE, Z. N.

Kliniko-eksperimental'noe izucheie transplantata pri kozhno-podkozhnoy. plastike. Baku, 1954. 16 s. 20 sm. (Azergaydzh. gos. med. in-t). 100 ekz. Bespl. - (54-56602)

KASUM-ZADE, Z. N.

"The Clinical and Experimental Study of Transplantation During Cutaneous and Subcutaneous Plastic Surgery." Cand Med Sci, Amerbaydzhan State Medical Inst, Baku, 1954. (KL, No 3, Jan 55)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (12) SO: Sum. No. 556, 24 Jun 55

ALIYEV, G.K.; GADZHIYEV, A.A.; LOGINOV, A.A.; ATLAS, V.V.; KAZIMOVA, M.N.; KASUMZADE, Z.N.

Effect of potentiated local anesthesia, using ganglion-blocking drugs and intramuscular hexenal injections, and the total protein content and the ratios of protein fractions in blood serum in certain surgical interventions. Azerb. med. zhur. no.7:9-16 Jl '61.

(MIRA 15:1)

1. Iz khirurgicheskoy kafedry (zav. -- zasluzhennyy deyatel' nauki prof. G.K.Aliyev) Azerbaydzhanskogo instituta usovershenstvovaniya vrachey (direktor - prof. A.M.Aliyev).

(AUTONOMOUS DRUGS) (HEXOBARBITAL)

(BLOOD PROTEINS)

BALABANOV, V.A.; KASUROV, L.B.

Asteroid growth and other morphological changes of Trichophyton mentagrophytes under the action of carbon dioxide. Dermato vener Sofia 1 no.3:5-8 '62.


1. Iz Katodrata po kozhni bolesti pri VMI, Sofiia (rukov. na katedr. prof. d-r L. Popov) i Nauchno-izsledovatelskiia i-t po epidemiologiia i mikrobiologiia, Soffia (direktor d-r VI. Kolaidziev).




KASVERYUK, N. A.

"Results of Effectiveness of Egg Yolk Tularemia Vaccine," from the monograph Effect of Vaccination Against Tularemia, 1953. p. 80

Translation D 568409






KASVINOV, M.

Industrial accidents and becupational disease in the capitalist world. Okhr.truda i sots.strakh. 5 no.1:43-45 Ja '62. (MIRA 15:2)

(Industrial hygiene)


Wasters of human lives. Okhr. truda 1 sots. strakh. 5 no.5:45-47
(MIRA 15:5)
My '62.

(INDUSTRIAL HYGIENE) (INSURANCE, SOCIAL)



KAS YAKOV, V.M.

Change in man's motor function as a result of a disturbed balance between the cortical processes of stimulation and inhibition. V.K. Kas'iakov, A.L. Fruktov. Teor.i prak. fizkul. 16 no.3:184-191 Mr 153.



KAS'YAN, A.A., Gand Tech Sci — (diss. "Study of the physico-mechanical properties of sand cement materials." Kiev, 1958, 22 pp (Min of Higher Education UkSSR. Kiev Engineering Construction Inst) 150 copies (KL, 50-58, 124)

- 67 -

SLOBODYANIK, I.Ya., kand. tekhn. nauk; KASIYAN, A.A., inzh.

Possibilities for economizing coment in producing sand-coment roofing tiles. Stroi. mat. 5 no.6:37 Je '59. (MIRA 12:8) (Cement) (Tiles, Roofing)



KAS YAN, A. G.; MALINICHEV, D. I.

Electric Lines

Presses for mounting, connecting, and tightening terminals on electric transmission lines, and connecting bushings on 110 KV cables, Rab, energ, 2, no. 1, 1952.

Monthly List of Russian Accessions, Library of Congress, Nay 1952, Uncl.

8(6) AUTHOR:

Kas'yan, A.G. Technician

SOV/91-59-7-10/21

TITLE:

The Experience in the Operation of Small-Size Presses

MGP-3 and MGP-12

PERIODICAL:

Energetik, 1959, Nr 7, pp 16-18

(USSR)

ABSTRACT:

The small-size hydraulic presses MGP-3 and MGP-12 are not used at some power distribution system because of mincr design defects and lacking knowledge of the adjustment of the valve mechanism. The experience in operating these presses by the Mosenergo power distribution system resultd in uncovering and eliminating some minor design defects. The author cites the deficiencies which were observed when operating 100 presses of type MGP-3. Failures of the valve mechanism are caused by minute mechanical perticles and the author suggests using a brass screen as a filter. In his conclusions the author emphasizes that the experience during many years proved the reliable operations of presses MGP-3 and MGP-12, provided proper adjustments are made. The author further gives

Card 1/2

SOV/91-59-7-10/21

The Experience in the Operation of Small-Size Presses MGP-3 and MGP-12

recommendations for using these presses for connecting wires of overground power transmission lines. There are 4 diagrams.

Card 2/2

KAS YAN, A.G., tekhnik

Device for exchange of bracket insulators on RLN-110 and RLN3-220 disconnectors. Energetik 8 no.1:26-28 Ja '60. (MIRA 13:5)

(Electric insulators and insulation)

V-5 USSR / Pharmacology and Toxicology--Medicinal Plants

Abs Jour: Ref Zhur-Biol, No 23, 1958, 107353

Author : Kas! van. A. I.

: Not given Inst

: On the Chemical and Pharmacological Characteristics Title

of Certain Representatives of Crataegus

Orig Pub: V sb.: Nekotoryye voprosy famatsii. Kiyev, Gosmedizdat USSR, 1956, 339-343

Abstract: Investigation of three kinds of Crataegus--Dzhungarian, bent-stem, and oxycantha--showed that the
highest amount of glycosides acting upon the heart
is contained in the leaves of the Dzhungarian Crataegus (DC). In experiments on an isolated thickened heart for the determination of the biological

Card 1/2

25

KASTYAN, A.I.

Some data on the therapeutic effect of mycetin D-17. Farmatsev. zhur. 1: no.6:42-44 164. (MIRA 18:4)

1. Kafedra mikrobiologii Dnepropetrovskogo meditsir kogo instituta (zavaduyushchiy kafedroy - prof. Yu.1.Domikhovskiy [Demikhovs'ky1, IJ.L.].

KAS YAN, G.G., aspirant; CHEPUROV, K.P., prof.

Wethods for obtaining pasteurellosis vaccines. Veterinariia 41 no.1:25-26 Ja '65. (MIRA 18:2)

1. Ukrainskiy nauchno-issledovatel'skiy institut zemledeliya.

YUGANOV, Ye.M.; KAS'YAN, I.I.; YAZDOVSKIY, V.I.

Muscle tone during weightlessness. Izv. AN SSSR. Ser. biol. no. 4:601-606 Jl-Ag '60. (MIRA 13:8)

1. Akademiya meditsinskikh nauk SSSR. (WEIGHTLESSNESS) (MUSCLE)

ACC NR. AT6036561

SOURCE CODE: UR/0000/66/000/000/0169/0170

AUTHOR: Zharov, S. G.; Kuzminov, A. P.; Kas'van, I. I.; Maksimov, D. G.; Onishchenko, V. F.; Popov, V. A.

ORG: none

TITLE: The problem of investigating pilot work capacity during long sojourns in spaceship mockups [Paper presented at the Conference on Problems of Space Medicine held in Moscow from 24 to 27 May 1966]

SOURCE: Konferentsiya po problemam kommicheskey meditsiny, 1966. Problemy kosmicheskoy meditsiny. (Problems of space medicine); materialy konferentsii, Moscow, 1966, 169-170

TOPIC TAGS: isolation test, human physiology, hypodynamia, respiratory system, space physiology

ABSTRACT: On prolonged spaceflights, cosmonaut work activity will take place during the exposure of the organism to a whole group of unusual factors (weightlessness, prolonged isolation, hypodynamia, altered gas medium, and so forth). Study of the effect on man of these factors is of great practical importance.

The purpose of the present investigation is to study the condition and work capacity of man during a prolonged sojourn in a spaceship mockup.

Card 1/3

ACC NR. AT6036561
was more pronounced. Thus, on the first, fifth, seventh, and eleventh days, a one and one-half to two-fold decrease in the accuracy of ship attitude control from angular coordinates was recorded. The time required for information transmission increased toward the end of the experiment by an average of 10%. In the correction tests, the information capacity of the visual analyzer dropped from 1.7 to 1.3—1.5 bits/sec. The red and blue light contrast sensitivity of the eyes decreased 35% and 40%, respectively, from L. N. Meyer's data.

Numerous changes in physiological indices were also noted toward the end of the experiment. Thus, for example: the EEGs showed a stagnant exaltation of alpha rhythms. Tests with sudden random signals requiring a response reaction from the subject showed a decrease in electromyogram amplitude from $300-200\mu v$ and a galvanic skin response amplitude decrease from $650-480\mu v$.

The observed functional shifts in the state of the subject during a 12-day stay in a spaceship mockup indicate that further study of pilot work capacity under analogous conditions is necessary, as is an effort to find optimal work-rest schedules for cosmonauts on prolonged spaceflights. [W.A. No. 22; ATD Report 66-116] SUB CODE: 06 / SUBM DATE: OOMay66

Card 3/3

The state of the s

YAZDOVSKIY, V.I.; YUGANOV, Ye.M.; KAS'YAN, I.I.


Posture reflex in intact animals during weightlessness. Izv. AN SSSR. Ser. biol. no.5:762-767 S-0 '60. (MIRA 13:9)


1. Institute of Normal and Pathological Physiology, Academy of Medical Sciences of the U.S.S.R., Moscow. (WEIGHTLESSNESS)

YUGANOV, Yo.M.; KAS'YAN, I.I.; GUROVSKIY, N.N.; KONOVALOV, A.I.; YAKUBOV, B.A.; YAZDOVSKIY, V.I.

Sensory reactions and voluntary movements in man under conditions of weightlessness. Izv. AN SSSR. Ser. biol. no.6:897-904 N-D '61. (MIRA 14:11)

1. Institute of Normal and Pathological Physiology, Academy of Medical Sciences of the U.S.S.R., Moscow.
(WEIGHTLESSNESS)





 ystolic inde		Pre- Launch	orbits			
 - Cosmonauts	Indexes	5 min.	2	7	13	16
V. M. Komarov K. P Feoktistov	P R T PQ QRS Q-T R - R SI P QRS Q-T R - R	0,88 15,4 2,7 0,10 0,06 0,34 0,61 55,7 0,81 16,4 0,14 0,05 0,69 52,0	3,2 49,3 14,2 0,11 0,07 0,37 0,78 48,7	2,9 30,5 14,5 0,11 0,07 0,38 0,78 50,7 2,4 38,7 13,2 0,14 0,06 0,42 0,96 43,3	0,8 10,0 3,6 0,10 0,07 0,38 0,89 45,0 0,60 8,9 3,2 0,11 0,06 0,38 0,97	0,78 10,1 2,6 0,10 0,08 0,34 0,75 45,3 0,64 9,1 2,8 0,12 0,08 0,36 0,78 46,8
B. B. Yegorov	SI P R	0,37 10,9 1,1	2,4 32,0 5,7	1,6 39,2 10,8	0,44 8,9 2,4	0,51 8,1 1,8

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721110003-6"

content, ceptible lated Wa	perspire	tion duri	ing the fli the skin di	uring the during th	flight, e flight,	/10 19h6.	- L, te kg: "
y - v	2	3	1 5	6	7	8	
	4.9	532 324 460	3,4 1,0 2,1 1,0 3,2 1,0	3,1 4,2	1,6	1,0 2,0 3,0	
		•	· :	*.			
	eptione	ated water loss	iated water loss through ingested, including water 8 - actual weight lost fr 9 - V. H. Komarov, K. P.	iated water loss through the skin dingested, including water in food, and a second weight lost from 8:20, 1 9 - V. H. Komarov, K. P. Feoktistov	iated water loss through the skin during the ingested, including water in food, during the ingested, including water in food, during the ingested, including water in food, during the ingested, including the ingested in the	isted water loss through the skin ddring the flight, ingested, including water in food, during the flight, ingested, ingeste	interested water loss through the skin during the flight, liters; ingested, including water in food, during the flight, 13/10, 1964, 8 - actual weight lost from 8:20, 12/10 to 18:10, 13/10, 1964, 8 - actual weight lost from 8:20, 8. B. Yegorov in that orde 9 - V. H. Komarov, K. P. Feoktistov, B. B. Yegorov in that orde 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - 3 - 4 - 5 - 6

the	flight compared with training data	
	Indexes Complex Background training examination Flight flight Flight flight Indexes Be-Aft- 43 12 Stort End tamed day days Stort End tamed Indexes Index	
	Sugar, mg Z	
	Chlorine, ing. 1000/mm ³ 5,4 6,8 5,1 4,5 4,5 4,5 4,5 4,5 4,5 4,5 4,5 4,5 4,5	

CC NR: AP6011411	K. P. Feoktistov
Sugar, mgZ Urea, mgZ Chlorine, mgZ Leukocytes, 1000/mm ² Formula: Rods Segments Eosinophiles Lymphocytes Honocytes	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
(tollocy coo	B. B. Yegorov
Sugar, mg% Urea, mg% Chlorine, mg% Leukocytes, 1000/mm Formula: Rods Segments Eosinophiles Lymphocytes Monocytes	20
	smonauts did not tolerate re-entry as well as during training. This was attributed to the ghtlessness. None of the observed deviations

SUB CODE: 22,06/ SUBM DATE: 10Sep65/ ORIG REF: 010/ OTH REF: ATD PRESS: 423/	the	n normal was parbrought to the scoomonauts and 2 figs.	individual so	matic and	autonomic p	eculiarit	ies of
	SUB	CODE: 22,06/ PRESS: 423/	SUBM DATE:	10Sep65/	ORIG REF:	010/ от	H REF:
			•				
			· · · · · · · · · · · · · · · · · · ·				

VOLYNKIN, Yu.M.; YAZDOVSKIY, V.I.; GHNIN, A.M.; VASIL'YEV, P.V.;

GYURDZHIAN, A.A.; GUROVSKIY, N.N.; GORBOV, F.D.; SERYAPIN,
A.D.; BELAY, V.Ye.; BAYEVSKIY, R.M.; ALTUKHOV, G.V.;

KOPANEV, V.I.; KAS'YAN, I.I.; YEGOROV, A.D.; SIL'VESTROV,
M.M.; SIMPURA, S.F.; TERENT'YEV, V.G.; KRYLOV, Yu.V.; FOMIN,
A.G.; USHAKOV, A.S.; DEGTYAREV, V.A.; VOLOVICH, V.G.;

STEPANTSOV, V.I.; MYASHIKOV, V.I.; YAZDOVSKIY, V.I.; KASHIN,
P.S., tekhn. red.

[First space flights of man; the scientific results of the redicobiological research conducted during the orbital flights of the spaceships "Vostok" and "Vostok-2"]Pervye kosmicheskie polety cheloveka; nauchny rezul'taty medikobiologicheskikh issledovanii, provedennykh vo vremia orbital'nykh poletov korablei-sputnikov "Vostok" i "Vostok-2." Moskva, Izd-vo Akad. nauk SSSR, 1962. 202 p. (MIRA 15:11) (SPACE MEDICINE) (SPACE FLIGHT TRAINING)

27.2200

39282

\$/216/62/000/001/002/002

I015/I215

AUTHOR:

Yuganov, Ye. M., Kas'yan, I. I. and Yazdovskiy, V. I.

TITLE:

The tolerance of animals to shock overloads acting in the direction close to the long axis

of the body

PERIODICAL:

Akademiya nauk SSSR. Izvestiya. Seriya biologicheskaya, no. 1, 1962, 90-95

TEXT: Freely fastened animals (dogs) were catapaulted with an overload of 20-23 units, in supine, sitting, and standing positions, for 0.1-0.5 seconds. The animals were subjected to a negative overload (direction pelvis-head) in the final stage of the experiment. The soft tissues of the animals, as well as the supporting apparatus, were not affected by the experimental conditions. The catapaulting brought about transient functional changes in the cardio-vascular and respiratory systems, which returned to normal within 4-5 minutes. The results obtained were useful during the planning and performing of the space flight in the second, fourth and fifth space ships - sputniks. There are 4 figures and 2 tables.

ASSOCIATION: Institut normal'noy i patologicheskoy fiziologii Akademii meditsinskikh nauk SSSR (!nstitute of Normai and Pathological Physiology, Academy of Medical Sciences, USSR) Moscow

SUBMITTED:

June 22, 1961

Card 1/1

s/865/62/001/000/005/033 E028/E185

AUTHORS: Kas'vam, I.I., Yuganov, Ye.M., and L'vova, T.S.

TITLE: Changes in certain morphological and biochemical indices of the peripheral blood of animals after rocket flights

SOURCE: Problemy kosmicheskoy biologii. v.1. Ed. by
N.M. Sisakyan. Moscow, Izd-vo AN SSSR, 1962. 161-165

TEXT: Determinations of blood count and blood blochemistry were carried out on 12 dogs which had undergone 2 to 5 space flights. Blood samples were taken on the eve of flight, 1.5 to 2.5 hours after landing, and also at later stages; 42 investigations were carried out in all. After the flight an increase in white cell count by 1800 - 11050 cells per mm³ was noted, due mainly to an increase in neutrophils with a shift to the left of up to 30% of unsegmented forms. These changes were ascribed to a redistribution of cells from depot organs under the influence of mechanical for/es, although a stress reaction may also have been concerned. No changes were noted in the red cell count, but after space flight there was a reduction in clotting time, with Card 1/2

Changes in certain morphological... S/865/62/001/000/005/033 E028/E185

an increase in calcium and prothrombia and a slight rise in the platelet count.
There are 3 tables.

Card 2/2

\$/865/62/002/000/020/042 0405/0301

AUTHORS:

Yuganov, Ye.K., Kas'yan, I.I., Cherepakhin, H.a.

and Gorshkov. A.I.

TITLE:

On some responses of human subjects to sub-gravity

conditions

SOURCE:

Problemy kosmicheskoy biologii, v. 2. Ed. by W. Sisckyan and V. Yazdovskiy. Moscow, Izd-ve .2 585%, 1962,

206-214

TEXT: This article was presented at the 10th European Congress on Aviation and Space Medicine, Paris, 26-30 September, 1961. The authors investigated the nature of sensory response and the sensory respon gree of change of some motion indicators of human subjects upder sub-gravity conditions. The experiment: were a subjects there so lie flight with weightlessness periods of up to the analysis of the experimental natural showed that all the angusts can be divided, from the point of view of their sensory recoint into 3 groups: a) those subjects whose general materials in the subjects. Card 1/3

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721110003-6"

S/865/62/002/000/020/042 D405/D301

(m nome responses ...

iorate or who even experienced a feeling of relief or comfort; b) those who were disoriented and could no longer properly respond to anvironment: however, after 12-15 trials of weightlessness they record fully adapted to it; c) those who temporarily lost their months capacity; in these cases 20-30 periods of well littles to the Tent rectabling for their adaptation. It is noted that the recognition of the control of the con in executionis, the muscular force of the Land was measure. three solvility of making and sustaining a prolonge, offert was analyzed. In 266 measurements on 26 subjects it was iching to all ruscular force of the hand decreased (in 82% of the cases from 45-65 kg to 4-22 kg. A special dynamograph with visual control was used in the experiments. It was found that in the lines seconds of weightlessness the muscular force underwent fluctuations ranging from 0 to 400 gm. It can be assumed that in operating the control levers, designed for a force of up to 400 gm, the accuracy of the muscular effort during the transient periods can vary considerably; this can prove a major factor in equipment control on board space ships. Conclusions: From the point of view of sensory response,

Card 2/3

In some responses ...

\$/865/62/002/000/020/042 D405/J301

all human subjects can be divided into 5 groups. At the initial stage of weightlessness, various changes in motor-force indicators are observed. Weightlessness is accompanied by regular changes in the bioelectric activity of the neck muscles that manifests itself by a marked drop in biopotential amplitude (from 40 to 25 microvolt), Parabolic flights on aircraft can be used not only for weightlessness experiments, but also for space flight crew selection and training. The majority of selected subjects do not experience sensory illeffects under weightlessness conditions. There are 4 figures.

Card 3/3

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721110003-6"

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721110003-6

KAS'YAN 1.1.

27 2500

39457

S/216/62/000/003/002/002

1021/1221

AUTHOR:

Yuganov, Ye. M., Isakov, P. C., Kaciyan, I. I., Afanasiev, D. V. and Pavlov, G. I.

TITLE:

Motor activity of intact animals under conditions of artificial gravity

PERIODICAL:

Akademiya nauk SSSR. Isvestiya. Seriya Biologicheskaya, no. 3,1962, 455-460

TEXT: The minimal effective value of artificial gravity necessary to maintain the body posture and coordination of movements of mice and rats under conditions of weightlessness as in the parabolic flight of an aeroplane was determined. Artificial gravity was created in a small size contrifuge which produced radial accelerations varying from 0.05 tp 1.0 g. Accelerations of 0.28 to 0.3 g were sufficient for prophylaxis of the unfavourable effect of weightlessness upon the motor reactions of the animals. There are 2 figures and 1 table. Englishlanguage references are: Beckh H. J. 1959. Flight experiments about human reactions to accelerations which are followed or preceded by weightlessness. Aerospace medicine, 30, 6, 391-409; Graveline D. E. Balke B., McKensie R., Hartmann B. 1961. Psychobiologic effects of water immersion induced hypodynamics. Aerospace medicine, 32, 5.

ASSOCIATION: Institut normaloni i putologicheskoi fiziologii AMN SSSR (Institute of Normal and

Pathological Physiology, AMS USSR) Moscow

SUBMITTED:

February 6, 1962

Card 1/1

43805

8/216/62/000/006/001/002 A004/A127

AUTHOR:

Kas'yan, I.I.

TITLE:

Some physiological responses of man under the conditions of alternating effect of overloads and short-term weightlessness

PERIODICAL:

Akademiya nauk SSSR. Izvestiya. Seriya biologicheskaya, no. 6, 1962, 896 - 907

TEXT: Investigations were carried out to study the behavior of 55 test persons in a number of flights on special aircraft, where short-term weightlessness (up to 45 sec) was reproduced in parabolic flights. It was found that changes in the basic indices of the function of the cardio-vascular and respiratory systems during an alternating effect of overloads and weightlessness were within the bearable limits of physiological variations; these changes were short--termed and of a reversible nature. Thus during the action of overloads, accelerated breathing and an increased pulse rate could be observed in most cases, as well as some functional changes of cardiac activity. In the state of short-term Weightlessness the indices of the cardio-vascular system revealed a trend to nor-

Card 1/2

Some physiological responses of man under

S/216/62/000/006/001/002 A004/A127

malization. Individual features of physiological responses of the persons tested to the alternating effect of increased and reduced gravitation could be observed. The test data obtained can 'e used as a basis for elaborating training measures relative to the effect of the factors mentioned. There are 5 figures and 4 tables.

Card 2/2

8,

\$/0000/63/000/000/0232/0236

ACCESSION NR: AT4042684

AUTHOR: Kas'yan, 1. 1.

TITLE: The reaction of cosmonauts to short-term weightlessness

SOURCE: Konferentsiya po aviatsionnoy i kosmicheskoy meditsine, 1963. Aviatsionnaya i kosmicheskaya meditsina (Aviation and space medicine); materialy konferentsii. Moscow, 1963, 232-236

TOPIC TAGS: cosmonaut, weightlessness, parabolic trajectory, motor coordination, excess gravity

ABSTRACT: Experiments were performed in a two-seater airplane and in a fiying laboratory permitting periods of weightlessness of 35-45 and 20-25 seconds, respectively. Each flight included 3-6 periods of weightlessness, with 10-15 minute intervals. The cosmonauts were either fastened to the seat, or were allowed to "swim" freely in the cabin, and records were made of the EKG, blood pressure, pulse rate and respiration, muscular strength and motor coordination (writing test, coordinograph studies and free "swimming" movement). Analysis of the data showed that the cosmonauts who were fastened to the seat showed no changes in motor coordination, while those who were free were usually unable to perform the assigned writing task, even though the coordinograph showed no disturbances in movement.

During free "swimming" in the cabin, the cosmonauts could move only with the aid of a cable or around the wall. The accuracy of assigned movements such as turning of the body with the eyes open or closed, however, was not disturbed. During the first period of weightlessness, there was some alertness and tension, but during the following tests the cosmonauts learned to deal with it and carried out their duties more economically and with better coordination. The emotional reactions to weightlessness differed in different cosmonauts, as shown by the paleness of the face in Nikolayev and the marked flush in Popovich. The intake of natural food during weightlessness was not disturbed. The muscular strength (dynamometry) during free "swimming" was decreased by 4-8 kg. The respiratory rate increased by 6-8 cycles/minute during the period of excess gravity in Gagarin and Titov, becoming normal during weightlessness, while in Nikolayev and Popovich it did not change significantly under excess gravity but increased by 3-7 cycles/min. during weightlessness. The heart rate increased by 20-63 beats per minute under excess gravity and decreased by 16-66 beats/minute in most cases during weightlessness. The systolic blood pressure increased by 10-28 mm Hg under excess gravity. In the EKG, as the heart rate increased, the R-R intervals shortened, and the P-Q and Q-T intervals shortened slightly, but during weightlessness a tendency toward normalization appeared. In all cases, these changes were functional and adaptive in character. The subjective reactions of the cosmonauts during weightlessness are also described.

ACCESSION NR: AT4042684

ASSOCIATION: none ...

SUBHITTED: 27Sep63

ENCL: 00

SUB CODE:

NO REF SOV: 000

OTHER: 000

Cord 3/3

22 May AID N. 974-7

PHYSIOLOGICAL REACTIONS OF ANIMALS IN HIGH-ALTITUDE ROCKET FLIGHTS (USSR)

Kas'yan, I. I. IN: Akademiya nauk SSSR. Izvestiya. Seriya biologicheskaya, no. 2, 1963, 201-213.

Six dogs weighing 5-7 kg were sent aloft in ballistic rockets to altitudes of 450 to 473 km for the purpose of studying the effects of acceleration and weightlessness on basic physiological functions of animals. During powered flight the respiration frequency tended to increase by 45 to 75 cycles per min. The high initial rate of respiration of one dog dropped to less than half, only to rise again when the weightless state was reached. The respiration rates of the other dogs, which had increased during powered flight, dropped almost to prelaunch levels when weightlessness was achieved. Pulse frequency increased by 45 to

card 1/2

PHYSIOLOGICAL REACTIONS [Cont'd]

8/216/63/000/002/001/004

120 beats per minute during powered flight and tended to subside after weight-lessness set in. Systolic pressure rose by as much as 95 to 100 mm Hg during powered flight, but increases in dyastolic pressure were negligible in most cases, increasing by 60 mm in only one case. The EKG showed sharp increases in P₂, R₂, and T₂ peaks, and a reduction in the RR, QT, and QRS intervals. The systolic index rose from 33% to 54%. The electrical axis of the heart shifted from 40°-55° to 53°-64°. Toward the end of the weightless period, most indicators returned to their initial levels. The changes produced by acceleration and weightlessness were reversible and non pathological. Four years later the dogs had failed to show any adverse effects of rocket flights.

[BM]

Card 2/2

\$/0216/63/000/006/0880/0891

AUTHOR: Kas'yan, I. I.; Kopanev, V. I.

TITLE: Weightlessness and artificial gravity

SOURCE: AN SSSR. Izvestiya. Seriya biologicheskaya, no. 6, 1963.

TOPIC TAGS: weightlessness, space orientation, spacesickness, sensory disturbance, cardiovascular system, respiratory system, tachycardia

ABSTRACT: Data obtained in experiments with animals indicate the following pattern of changes in vegetative indices induced by the state of weightlessness: a tendency toward tachycardia and an increase in the respiration rate in the early stages of weightlessness. These changes were not pathological, which indicates that the organism is highly adaptable to the conditions of weightlessness. Information obtained from the flights of the Soviet cosmonauts proved that the human organism is able to tolerate weightlessness up to five days without suffering ill effects. The work capacity

Cord 1/2

of the cosmonauts was not impaired while they were strapped to their seats. However, when they left their seats and were "floating," their activity was limited practically to communicating with ground stations or with each other. All cosmonauts showed the same general pattern of response to the state of weightlessness. Exposure to weightlessness of short duration produced tachycardia and changes in the respiratory system. These functional changes gradually returned to normal under the effect of prolonged weightlessness, but the resistance to overloads was reduced. Means must be found to counteract the harmful effect of weightlessness in long-range flights. This could be done either by developing the resistance of the human organism or by technical improvement of the spaceships. Producing artificial gravity on spaceships may solve the problem.

ASSOCIATION: none

SUBMITTED: 16Feb63

DATE ACQ: 09Dec63

ENCL: 00

SUB CODE: AM

NO REF SOVE - 037

OTHER: 050

Card 2/2

KAS'YAN, I.I.

Reaction of the cardiovascular and respiratory systems of animals during flights in hermetic cabins of rockets at altitudes up to 212 kilometers. Izv. AN SSSR, Ser. biol. 28 no.1:24-39 Ja-F:63. (MIRA 16:8)

1. Institut normal'noy i patologicheskoy fiziologii AMN SSSR.
(SPACE FLIGHT—PHYSIOLOGICAL EFFECT)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721110003-6"

YUGANGV, Ye.M.; KAS'YAN, I.I.; ASYAMOLOV, B.F.

Bioelectric activity of skeletal muscles under the conditions of alternating action of overloading and weightlessness. Izv. AN SSSR Ser. biol. 28 no.5:746-754 S-0'63 (MIRA 16:11)

1. Institute of Normal and Pathological Physiology, Academy of Medical Sciences of the U.S.S.R., Moscow.

.

VOLYNKIN, Yu.M.; YAZDOVSKIY, V.I., prof.; GENIN, A.M.; GAZENKO, O.G.; GUROVSKIY, N.N.; YEMEL'YANOV, M.D.; MIKHAYLOVSKIY, G.P.; CORBOV, F.D.; SERYAPIN, A.D.; BAYEVSKIY, R.M.; ALTUKHOV, G.V.; KOPANEV, V.I.; KAS'YAN, I.I.; MYASNIKOV, V.I.; TERENT'YEV, V.G.; BRYANOV, I.I.; FEDOROV, Ye.A.; FOMIN, V.S.; ARUTYUNOV, G.A.; ANTIPOV, V.V.; KOTOVSKAYA, A.R.; KAKURIN, L.I.; TSELIKIN, Ye.Ye.; USHAKOV, A.S.; VOLOVICH, V.G.; SAKSONOV, P.P.; YEGOROV, A.D.; NEUMYVAKIN, I.P.; TALAPIN, V.F.; SISAKYAN, N.M., akademik, red.; KOLPAKOVA, Ye.A., red.izd-va; ASTAF'YEVA, G.A., tekhn.red.

[First group space flight; scientific results of medical and biclogical studies carried out during the group orbital flight of manned satellites "Vostok-3" and "Vostok-4] Pervyi gruppovoi kosmicheskii polet; nauchnye rezul'taty mediko-biologicheskikh issledovanii, provedennykh vo vremia gruppovogo orbital'nogo poleta korablei-sputnikov "Vostok-3" i "Voskot-4." Moskva, Izd-vo "Nauka," 1964. 153 p. (MIRA 17:3)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721110003-6"

ISAKOV, P. K.; YUGANOV, Ye. M., KAS'YAN, I. I.

"The influence of gravitational force in organization of body functions and problems of cosmic flights."

report submitted for 15th Intl Astronautical Cong, Warsaw, 7-12 Sep 64.

s/0216/64/000/002/0280/0297

AUTHOR: Moskalenko, Yu. Ye.; Gazenko, O. G.; Shurubura, A. A.; Kas'yan, I. I.; Graunov, O. V.

TITLE: Dynamics of hemocirculatory parameters of the cerebrovascular system during longitudinal gravitational loads

SOURCE: AN SSSR. Izv. Seriya biologicheskaya, no. 2, 1964, 280-297

TOPIC TAGS: cerebral blood circulation, cerebrovascular hemocirculatory system, gravity acceleration, longitudinal gravitational load, blood pressure change, blood volume change, electroplethysmograph, data unit electrical system, cerebrospinal blood pressure change, central nervous system development, respiration movement, brain oxygen intensity, gravitational load cerebrovascular mechanical regulation,

ABSTRACT: In a series of 64 experiments changes in blood volume and pressure were studied in the cerebrovascular systems of dogs, cats, rabbits, and rats. In each of the experiments the animal was subjected to 15-20 tests on a rotating stand with longitudinal

- 1

ACCESSION NR: AP4026727

gravitational loads up to + 1 g, and in some experiments animals were tested on a centrifuge with accoloration up to 10 g. Blood volume changes were measured by electroplethysmograph and blood pressure changes were recorded by tensoelectric manometers. Arterial pressure and respiratory movement were measured by data units, and oxygen intensity in the brain was determined by a polarographic method. Readings for all data units were registered on a K 12 21 oscillograph. Results show that the sensitivity threshold of the cerebrovascular system to longitudinal gravitational loads lies within limits of 0.2 to 0.5 g, depending on central nervous system development and the ecology of the animal. The active physiological reactions of the cerebrovascular system 5-10 sec after exposure to longitudinal gravitational loads are autoregulatory, with arterial pressure changes affecting vessel tone. With lack of oxygen and CO2 accumulation in the brain 15-25 sec after exposure, compensatory reactions of a chemical regulatory nature appear. Orig. art. has:

ASSOCIATION: Institut evolyutsionnoy fiziologii im. I. M. Sechenova AN SSSR (Institute of Evolutionary Physiology AN SSSH)

Card2/3

SUBMITTED:	NR::: AP4026727	DATE ACQ:	22Apr6lı		FNOT		 :
SUB CODE:		NO REF SOV		ŧ	ENCL:	00	
1.							I
				1	1 .		i, ij
Card 3/3				•			

YAZDOVSKIY, V.I.; KAS'YAN, I.I.; KOPANEV, V.I.

Basic problems in studying weightlessness. Profl. kosm. biol. 3:37-58 '64. (MIRA 17:6)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721110003-6"

\$/0216/64/000/003/0352/0368

AUTHOR: Kas'yan, I. I.; Kopanev, V. I.; Yazdovskiy, V. I.

TITLE: Circulation of the blood during weightlessness

SOURCE: AN SSSR. Izv. Sariya biologicheskaya, no. 3, 1964, 352-368

TOPIC TAGS: weightlessness, hemodynamics, circulation

ABSTRACT: The authors review data collected on weightlessness from the first flights of dogs in high altitude rockets in the 1949-1956 period to the last manned spaceflight of Bykovskiy and Tereshkova. Data collected during these high-altitude and orbital flights include pulse frequency, arterial pressure, and bioelectrical activity of the heart (EKG). An analysis of these data indicates an absence of serious disruptions of circulation of the blood. Weightlessness, whether short-term or up to 5 days in duration, causes three types of reactions. The first is a distinct reduction in pulse frequency, accompanied by a reduction of arterial pressure (sometimes lower

Card 1/2

8/2865/64/003/000/0366/0378

AUTHOR: Moskalenko, Yu. Ye.; Graunov, O. V.; Gazenko, O. G.; Kas'yan, I. I.

TITLE: Reactions of the vascular system in the intracranial cavity to equivalents of longitudinal g-loads

SOURCE: AN SSSR. Otdeleniye biologicheskikh nauk. Problemy* kosmicheskoy biologii, v. 3, 1964, 366-378

TOPIC TAGS: acceleration, brain, circulation, cerebral circulation

ABSTRACT: Electroplethysmographic (EPG) methods have been used to study intracranial hemodynamics in response to simulated or equivalent longitudinal g-loads obtained by rotating animals (rats, rabbits, and cats) in a vertical plane. The vectorial gravitational changes so produced induced active reactions in the vascular system of the brain. These changes occur 4 to 8 sec after the body posture has been changed. Their function is to normalize the blood filling of the intracranial cavity. Special experiments have shown that these active reactions are specific for cerebral blood vessels and that their threshold of sensitivity appears when the change is equivalent to 0.3 to 0.4 g. The data obtained indicate that

Card 1/2

when animals are subjected to simulated longitudinal g-loads (head down), the organs of the central nervous system undergo a shortage of circulation and require compensation on the part of adaptive mechanisms.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: PH, LS

NO REF SOV: 004

OTHER: 007

5/0216/64/000/003/0369/0375

AUTHOR: Yuganov, Ye. M.; Sidel'nikov, X. A.; Gorshkov, A. I.; Kas'yan, I. I.

TITLE: Sensitivity of the vestibular analyzer and sensory reactions of man during short-term weightlessness

SOURCE: AN SSSR. Izv. Seriya biologicheskaya, no. 3, 1964, 369-375,

TOPIC TAGS: weightlessness, vestibular analyzer, parabolic flight, rotation, Coriolis acceleration, postrotational stability, nystagmus

ABSTRACT: Research on weightlessness has established that all persons may be classified into three groups on the basis of vestibular-sensory reactions. Group I consists of persons who can stand weight—lessness without deterioration of general well-being or loss of work capacity. Group II consists of persons who suffer from illusory sen—sations concerning the orientation of their bodies in space. Group III consists of persons in whom adverse reactions appear rapidly and lead to the onset of motion sickness (nausea, vomiting, etc.), and

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721110003-6"

who become temporarily unable to work. A group of thirty subjects from all three categories, who had participated in parabolic flights, were subjected to a series of tests which involved rotation, rocking, Coriolis accelerations, inhibition of vestibular reactions, and postrotational stability. The stability of the vestibular analyzer was judged on the basis of vegetative disturbances, duration of the postrotational nystagmus, duration of illusions of counter-rotation, time required to regain balance on a chair with an unstable support, and duration of the "banking" illusion during the test involving inhibition of vestibular reactions. Results of these experiments show that the degree of sensory reactions under conditions of short-term weightlessness depends basically on variations in vestibular sensitivity of persons subjected to this test. Results obtained with ground experiments indicate that the ability of man to retain his work capacity in conditions of short-term weightlessnass can be predicted on the basis of ground experiments. Ground tests show that persons in Group I are characterized by a low sensitivity of the vestibular analyzer to adequate stimulation and a sufficiently high level of inhibitory action on the vestibular analyzer by other afferent systems.

The many stores of the property of the propert

Cord 2/3

Group II persons manifest spatial illusions, an increased sensitivity of the vestibular analyzer to adequate stimuli, and a fairly pronounced inhibitory effect on the vestibular analyzer by other analyzer systems. Persons from Group III are characterized by high sensitivity of the vestibular apparatus to adequate stimulation and a weak inhibitory effect of other afferent systems on the vestibular apparatus. Orig. art. has: 'I table.

ASSOCIATION: none

SUBMITTED: 16May63

DATE ACQ: 05Jun64

ENCL: 00

SUB CODE: PH, IS


NO REF SOV: 004

OTHER: 003


Card 3/3


GAZENKO, O.G.; KAS'YAN, I.I.; KOTOVSKAYA, A.R.; YUGANOV, Ye.M.; YAZDOVSKIY, V.I.


Fhysiological reactions of animals during their flight in the third, fourth and fifth spaceships. Izv. AN SSSR. Ser.biol. no.4:497-511 JJ-Ag *64. (MIRA 17:10)




. Askallad coordination such as writing, are rendered pure









YAZDOVSKIY, V.I.; KAS'YAN, I.I.; KOPANEV, V.I.

Physiological responses of astronauts to overloads and weightlessness. Izv. AN SSSR Ser. biol. 29 no.1:12-31 Ja-F'64 (MTRA 17:3)

1. Institute of Normal and Pathological Physiology, Academy of Inclinate Sciences of the U.S.S.R., Moscow.

ISAKOV, P.K.; YUGANOV, Ye.M.; KAS'YAN, I.I.

A theory of weightlessness is needed. Av. i kosm. 47 no.11:31-33 N 164. (MIRA 17:11)

VOLYNKIN, Yu.M.; ARUTYUNOV, G.A.; ANTIPOV, V.V.; ALTUKHOV, G.V.;

BAYEVSKIY, R.M.; BELAY, V.Ye.; BUYANOV, P.V.; BRYANOV, I.I.;

VASIL'YEV, P.V.; VOLOVICH, V.G.; GAGARIN, YU.A.; GENIN, A.M.;

GORBOV, F.D.; GORSHKOV, A.I.; GUROVSKIY, N.N.; YESHANOV, N.Kh.;

YEGOROV, A.D.; KARPOV, Ye.A.; KOVALEV, V.V.; KOLOSOV. T.A.;

KORESHKOV, A.A.; KAS'YAN, I.I.; KOTOVSKAYA, A.R.; KALIBERDIN,

G.V.; KOPANEV, V.I.; KUZ'MINOV, A.F.; KAKUR'IN, L.I; KUDROVA,

R.V.; LEBEDEV, V.I.; LEBEDEV, A.A.; LOBZIN, P.P.; MAKSIMOV,

D.G.; MYASNIKOV, V.I.; MAIYSHKIN, Ye.G.; NEUMYVAKIN, I.P.;

ONISHCHENKO, V.F.; POPOV, I.G.; PORUCHIKOV, Ye.P.; SIL'VESTROV,

M.M.; SERYAPIN, A.D.; SAKSONOV, P.F.; TERENT'YEV, V.G.; USHAKOV,

A.S.; UDALOV, YU.F.; FOMIN, V.S.; FOMIN, A.G.; KHLEBNIKOV, G.F.;

YUGANOV, Ye.M.; YAZDOVSKIY, V.I.; KRICHAGIN, V.I.; AKULINICHEV,

I.T.; SAVINICH, F.K.: SIMPURA, S.F.; VOSKRESENSKIY, O.G.;

GAZENKO, O.G., SISAKYAN, N.M., akademik, red.

[Second group space flight and some results of the Soviet astronauts' flights on "Vostok" ships; scientific results of medical and biological research conducted during the second group space flight] Vtoroi gruppovoi kosmicheskii polet i nekotorye itogi poletov sovetskikh kosmonavtov na korabliakh "Vostok"; nauchnye rezul'taty medikobiologicheskikh issledovanii, provedennykh vo vremia vtorogo gruppovogo kosmicheskogo poleta. Moskva, Nauka, 1965. 277 p. (MIRA 18:6)

TITIE: On the physiological mecha	risms of the effect of weightlessness on the
COMBOR: IN COSE Trunsfive. Ser	IVE blologicinsonaya, no a, avv
weighticonness 111 malons (f anging)	pelde down, falling, etc.); weightiessness may
Correction of Approximation	in In Tannearante of Violet Bureotes Bruton 11844
	enlors, especially vellow); it may disrupt the affect certain vegetative functions (reduction
	antiand of taking ton of bluon diebsules escalingues in
lili in a line and the principle (8)	arations of the mechanism of well
emp.	- many many management of the contract of the

- VCCR22IOù UVI VISA	C T F R F W
Isiruan Kantzen I	. I.; Kolosov, I. A.; Labudav, V. I.; Yurov. P. N.
TITLE: Reactions	of cosmonauts during parabolic flights in air-
SOURCE: AN SSER.	Izvestive. Seriya biologicheskaya, no. 2, 1965,
acceleration,	vascular venecemy
apparatus, where the flights, weig	the cosmonauts could move acceleration of 3 5-3 5 6. htlessness was preceded by acceleration of 3 5-3 5 6. htlessness was preceded by acceleratory system was a complete acceleratory system.
ka paparatikan kendelakan di Sula	The state of the s

L 42134-65 Accession NR1	AP5007273		3 6
thong indices	inting acceleration	. The respiratory rat	e of Gegarin,
	. •		
Climin			
before the LIL			
State and the state of the stat		The second secon	


T 42134-65
ACCESSION NR: AP5007273

Company of the early as

ation. Cosmonauta tried to piriorm a given tass under conditions with the same nuscular force as on earth. On the lirst

lessness, as compared with horizontal flight (b-12 %) ior the test hand, 4-12 kg for the left). Individual differences in sensory,


ACCESSION DEL AFJOURNE LESS PROVO the value of the selection provo the selection provo the selection provo the value of the selection provo the selection p



L 50344-65 --- ACCESSION NR: AP5013308

eran mambaro. Recicelly he made definitions of nulse rates. The

when planning future, more prolonged, space expeditions in which the



will be the construction of spacecraft with artificial gravity al-

AFFERNSI 1 MTH

L 14277-66 FSS-2/EWT(1)/FS(v)-3 DD/RD

ACC NR: AT6003861

SOURCE CODE: UR/2865/65/004/000/0270/0289

AUTHOR: Kas'yan, I. I.; Kopanev, V. I.; Yazdovskiy, V. I.

Q+1

ORG: none

TITLE: Reactions of cosmonauts to conditions of weightlessness

SOURCE: AN SSSR. Otdeleniye biologicheskikh nauk. Problemy kosmicheskoy biologii, v. 4, 1965, 270-289

TOPIC TAGS: manned spaceflight, weightlessness, space physiology, biologic respiration, cosmonaut, physiologic parameter, EKG

ABSTRACT: The authors review and consolidate data obtained from the flights of Vostoks 2-6. These data are given in the enclosed graphs and tables. The authors conclude that an important future experimental problem will be to establish the optimum magnitude of artificial gravity which will overcome the deleterious effects of weightlessness during prolonged manned spaceflights. Orig. art. has: 5 figures and 8 tables. [ATD PRESS: 4091-F]

Card 1/9

	21.000 11
Ŀ	14277-66

ACC NR: AT6003861

Table 1. Change in pulse rate (beats/min) during various Vostok flight stages under conditions of weightlessness (average)

			_	1		Ϋ́O	alp	711	3,	П	A.	C. NI	ok kolay	3°.	h	P. R.	Pop:	ive	h	L	V. F.		- 5 248 k		٧.	v. Te	respy	
Flish	g sti	PED		1	N2	1	•	-	Ī	T	N	7	1	2 7	Ţ	N		ľ	I P		M	•	<u>'</u>	1	1-	-		5 P
Prala	nucp	(7	٠,	+	erri, c	,	,31	8,1	1	11,12	117,0	7, 90	17,3	ION	n	117,0	: 35	F, L	H133,		17 0	ļ		 	-			-
	min Epd		Ī	1	101,6	Ī	, \$9 22		7	3D, O		8,31 3,30	4,91	t13.		a,tns	1,06	3,1	M,	9	101,0 0,53	9,7 1,7	6.3	16,5 47,7	111.0	6,37 3,63	1,55	53.
	lat			12	, con , con , con	1	9,81	19,		RI,C	- 13 ,0	8,3	 0,5 19,4		.6	43,0 60,0) u	3,6 n,4	1 52	9		1,3	n 10 ,3	< \$30,0	1 (9'0	11,03 6,67	18,00	91. 51. 45.
%12) t-	20d.	ê e y		22	97,18		13,81	13.	4	91,5	19,01R 0,03	7,77	ệ 11,# 1	155	d	80.0 21.0	11,00	in,s	-! !, #5	Ц		1	j.,	(* 15.4 († 11.2	78.0	5,37	11.06	ia.
	Drd	day	i	C.					İ		61,0(3) 61,32) 73,0	3	7.5	142		53,0(3) 54,0) . ·	15,0	时 1.	2 1	# .0 (fb) #2 P	1.3,5	1, 1-2	12, 12,1	61,6	4,753	10, 40	
	ash	<u>م</u>	-			Ì	-		Ì		12,0 83,6		\$ 5.5	₹ 55	. A	61,0,12	u¦i,≇	2,0	22	1	:4,0 54,0 70	3.5	E 6.P	11 11. 15 41. 18 53.	'i	1 80	1.01	-
	5 2 2	_	0	:3 8)		1		ŀ			2) A, 17	3,6	3,5			-			Î		57,6	14.	PE 8.	10 45, 10 46, 10 46,	2			
				37	-	-		-	-{		l.	Ť					1	ì	-		61.0	Ì.	ed 7.	21 44.	2		-	T
•	24.8	. 0	4	23 8.1	-		-												Ĺ		17.0	5.	10 7.	37 59,	1	var	1	1

Note: M- mean arithmetic; o - mean quadratic error; C - variation

coefficient

Card 2/9

L 14277-56


ACC NR: AT6003861


Table 2. Changes in respiration rate (cycles/min) during various Vostok flight stages under conditions of weightlessness (average)


, F3	ight S	ar				ok -		4. 6	oracy Litt	- 3	;	P. R.	01110	k - 4	٠	V. 7.		- 5		Ĺ,	Vont Ta	taaby ok -	6,
	•	•		100		r	121		1	1	2 7		1		FF.	127 W	1	'	1 P		1 20	1	1 P
Prei	dadute gim	P)		12,81	יום, ו	39,3	150	9,82	1,31	13 A	100,0	1 1 to 17	1 44	17,17	1131.0	16.81	. •	- 37	i i tors ti	17.74			·e
	Ins of			13,61	3,22	89,3	es,4					19,11			174 5		۶. » تابت					11.A	
Paight- leas- ness dep			15.5	98,87 98,61	5,31 3,91	30,6 13,1	10.1 10.1	11,27415	1,50	11,01	115,6	19,20 17,30 18,35	1,67	21,23	111,6	10,00		10,45	168,2	21,83	2,5	63,82 81,70 5,60	122
	3rd		22					11,1 (32	3.87	78.6	311,79	15,00 35,23 (31 11,86	1.	18,5%	100,5	15.0 (35)	1.70	16 73	112.0	21,45	2.60		125
	day	2 1 9 2	53 53					10,8 13,0 11,7		21.5	131,1		:,00	13,50	107.5	18,30	2.63	13.46			3,80	25 81	113
	5th day	0	63 67 71					9,75 (97)	2,51	23,74	e,nes					ER, 65	2.51		101,0 112,0 113,9				
	hegin- bing of		75	-				·			-				j			13.51	Pn.S				


Note: M-mean arithmetic; o - mean quadratic error; C - variation coefficient


Card 3/9











APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721110003-6"

	4277=66 ACC PR:	AT600386	1							
	SUB CODE:	06 /	SUBM DATE	l llone	ORIG 1	REF: 027	- / - ОТН	REF. C	n a	
								ALLY .	48	
•										
	•						•			
		, i	•		.45.,					
			-0							•
	GC,									172
. (Card 9/9									

Pestov, I. D.; Glicks	P. V.; Yoskresenski onadskiy, N. A.			1	
TITLE: Reaction of	the cardlovascular	and respinatory	systems of cosmon	auts 57	
La aunital flight 15	Vestiya. Seriya bio	OF THE PERSON AND PROPERTY.	THE RESERVE OF THE PARTY OF THE		
FOUT TAGE BOACH I	hysiology, cardiov	scular system,	curdiology, respi	ratory	